

## All fields

231 ac

SOIL	SOIL DESCRIPTION	ACRES PERCENTAGE OF FIELD		SOIL CLASS	NCCPI
MIB2	Miamian silt loam, 2 to 6 percent slopes, eroded	83.91	36.3%	2	34.7
MhB2	Miamian silt loam, 2 to 6 percent slopes, eroded	31.33	13.6%	2	34.
MrB	Miamian-Russell silt loams, 2 to 6 percent slopes	22.25	9.6%	2	76.
XeB	Xenia silt Ioam, Southern Ohio Till Plain, 2 to 6 percent slopes	21.56	9.3%	2	84.
MIC2	Miamian silt loam, 6 to 12 percent slopes, moderately eroded	18.50	8.0%	3	74.
CgB	Celina-Xenia silt loams, 2 to 6 percent slopes	10.16	4.4%	2	77.
WaC:	Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded	7.38	3.2%	4	18.8
Sn	Sloan silt loam	6.86	3.0%	3	55
WbC	Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded	5.98	2.6%	4	18.
TrA	Treaty silty clay loam, 0 to 1 percent slopes	4.21	1.8%	2	79.
FgB	Fincastle silt loam, 2 to 4 percent slopes	3.42	1.5%	2	81.
TtA	Treaty silty clay loam, 0 to 1 percent slopes	3.31	1.4%	2	79.
MID2	Miamian silt loam, 12 to 18 percent slopes, eroded	2.67	1.2%	4	29.
XaB	Xenia silt Ioam, Southern Ohio Till Plain, 2 to 6 percent slopes	1.96	0.8%	2	84.
Bs	Brookston silt loam, fine-silty, 0 to 2 percent slopes	1.86	0.8%	2	82.
FbB	Fincastle silt loam, 2 to 4 percent slopes	1.64	0.7%	2	81.
XaB2	Xenia silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes, eroded	1.42	0.6%	2	51.
MhC.	2 Miamian silt loam, 6 to 12 percent slopes, eroded	1.21	0.5%	3	30.
MnE2	Miamian-Thrifton complex, 18 to 25 percent slopes, eroded	0.78	0.3%	6	28.
CsB	Crosby-Fincastle silt loams, 2 to 6 percent slopes	0.66	0.3%	2	75.
		231.08			51.0